

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/772,017	02/04/2004	Roger Keith Stager	ALA-PT013	1122
63983	7590 07/13/2006		EXAMINER	
VOLPE AND KOENIG, P.C.			LE, DIEU-MINH T	
DEPT. NET A			ART UNIT	PAPER NUMBER
UNITED PLAZA, SUITE 1600			2114	
PHILADELPHIA, PA 19103			DATE MAILED: 07/13/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
		10/772,017 STAGER ET AL.					
	Office Action Summary	Examiner	Art Unit				
		Dieu-Minh Le	2114				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address				
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)⊠	Responsive to communication(s) filed on 12 Ju	<u>aly 2004</u> .					
2a) <u></u> □	This action is FINAL . 2b)⊠ This action is non-final.						
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Dispositi	ion of Claims						
4)⊠	4)⊠ Claim(s) <u>1-22</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠	6)⊠ Claim(s) <u>1-22</u> is/are rejected.						
	Claim(s) is/are objected to.						
8)[Claim(s) are subject to restriction and/or	election requirement.					
Applicati	ion Papers						
9)	The specification is objected to by the Examiner	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority u	under 35 U.S.C. § 119						
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachmen	t(s) ee of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) 🔲 Notic	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	nte				
	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application (PTO-152)				

Art Unit: 2114

Part III DETAILED ACTION

Specification |

- 1. This Office Action is in response to the application 10/772,017 filed on 02/04/04.
- 2. Claims 1-22 are presented for examination.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2114

- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary.

 Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 5. Claims 1-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zalweski et al. (U.S. 7,032,126 hereafter referred to as Zalweski_126) in view of Zalweski et al. (U.S. Pub. No. 2005/0010529 hereafter referred to as Zalweski 529).

As per claim 1:

Zalweski_126 substantially teaches the invention. Zalweski_126 teaches:

- A method for data recovery in a continuous data protection system [abstract, fig.1-3, col. 1, lines 40-50; col. 2, lines 20-276] method comprising the steps of:

Art Unit: 2114

- (a) selecting a snapshot of the storage volume to be recovered [fig.1-3, col. 2, lines 28-39; col. 6, lines 13-25];
- (b) selecting a location on which the snapshot is to be loaded [fig.1-3, col. 4, lines 30-50; col. 6, lines 13-25]; (c) creating a point in time (PIT) map for the selected snapshot [fig. 1-3, col. 4, lines 30-50; col. 5, lines 11-28].
- (d) loading the selected snapshot at the selected location. [fig.1-3, col. 2, lines 28-39; col. 4, lines 30-50; col. 5, lines 11-28; col. 6, lines 13-25].

Zalweski_126 does not explicitly address:

- the method having a primary volume and a secondary volume.

However, Zalweski_126 does disclose capability of:

- A method and apparatus for creating a dynamic storage for data recovery and **continuous** data protection [abstract, fig.1-3, col. 1, lines 40-50; col. 2, lines 20-27] comprising:
- a <u>failover operations</u>, <u>snapshot</u>, <u>and a point-in-time</u>

 (APIT/PIT) used to support failover, data

Art Unit: 2114

recovery/protection process including identifying data

(i.e., previous state data), preventing data loss, etc... in

a plurality of data storage volumes [fig. 1-3, col. 4, lines 30-50].

In addition, Zalweski_529 explicitly teaches:

- A method and apparatus for building a complete and continuous data protection scheme and recovery [abstract, par. 0002] comprising:
- a <u>failover operations</u>, <u>snapshot</u>, <u>and a point-in-time</u>

 (APIT/PIT) used to support failover, data

 recovery/protection process including data mirroring and

 policy in a <u>plurality of data storage volumes including</u>

 primary and <u>secondary set of data</u> [abstract, fig. 1-4, par. 0005, 0011,0017-0019].

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of Applicant's invention to first realizing Zalweski_126's failover operations, snapshot, and a point-in-time (APIT/PIT) used to support failover, data recovery/protection process including identifying data (i.e., previous state data), preventing data loss, etc... in a plurality of data storage volumes as being the method having a primary

Art Unit: 2114

volume and a secondary volume as claimed by Applicant. This is because Zalweski_126 performed data operating system failure detection and recovery via data/error monitoring, detecting, continuously protection, and correcting processes (i.e., failover). By utilizing these capabilities, the data resided in storage volumes can be recovered and protected directed, promptly and functioned properly during failover switching process via APIT/PIT snapshot procedure; second, by applying the failover operations, snapshot, and a point-in-time (APIT/PIT) used to support failover, data recovery/protection process including data mirroring and policy in a plurality of data storage volumes including primary and secondary set of data as taught by Zalweski_529 in conjunction with the method and apparatus for creating a dynamic storage for data recovery and continuous data protection as taught by Zalweski_126, the multi-data storage volumes data system including backup capability (i.e., OS failover) can enhance its operation performance, more specifically to ensuring the error detected, corrected, and replaced (i.e., backup) in proper and efficient manner.

This modification would have been obvious because a person having ordinary skill in the art would have been motivated to do so to improve the system operation availability and

Art Unit: 2114

network/system performance therein with a mechanism to enhance the data connectivity, data debugging, data recovery, data protection, data reliability, and data throughput which eventually will increase its performance, such as data throughput between internal and external devices.

As per claims 2-3:

Zalweski 126 further teaches the invention.

- selecting a scheduled snapshot (i.e., snapshot planning)

[fig.1-3, col. 2, lines 28-39; col. 6, lines 13-25];

- selecting an any point in time (i.e., APIT/PIT) [fig.1-3,

col. 2, lines 28-39; col. 4, lines 30-50; col. 6, lines 13-25];

In addition, Zalweski_529 explicitly teaches:

- selecting a scheduled snapshot (i.e., snapshot planning)

[fig.1-4, par. 0014];

- selecting an any point in time (i.e., APIT/PIT) [fig.1-3,

par. 0014];

As per claims 4-5 and 7-8:

Zalweski_126 further teaches:

Art Unit: 2114

40-49].

- A method for data recovery in a continuous data protection system [abstract, fig.1-3, col. 1, lines 40-50; col. 2, lines 20-276] method comprising the steps of:
- selected APIT snapshot [fig.1-3, col. 2, lines 28-39; col. 6, lines 13-25];
- changes made the selected APIT snapshot [col. 2, lines

Zalweski_126 does not explicitly address:

- merging the created delta maps.

However, Zalweski_126 does disclose capability of:

- A method and apparatus for creating a dynamic storage for data recovery and *continuous* data protection [abstract, fig.1-3, col. 1, lines 40-50; col. 2, lines 20-27] comprising:
- a <u>failover operations</u>, <u>snapshot</u>, <u>and a point-in-time</u>

 (APIT/PIT) used to support failover, data

 recovery/protection process including identifying data

 (i.e., previous state data), preventing data loss, etc... via

 dynamically mapping process [fig. 1-3, col. 4, lines 30
 50].

Art Unit: 2114

In addition, Zalweski_529 explicitly teaches:

- A method and apparatus for building a complete and continuous data protection scheme and recovery [abstract, par. 0002] comprising:

- a <u>failover operations</u>, <u>snapshot</u>, <u>and a point-in-time</u>

(APIT/PIT) used to support failover, data

recovery/protection process including data <u>mirroring</u> (i.e.,

mapping) and policy in a plurality of data storage volumes

including primary and secondary set of data [abstract, fig.

1-4, par. 0005, 0011,0017-0019].

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of Applicant's invention to first realizing Zalweski_126's <u>failover operations</u>, <u>snapshot</u>, <u>and a point-in-time (APIT/PIT)</u> used to support failover, data recovery/protection process including identifying data (i.e., previous state data), preventing data loss, etc... via <u>dynamically mapping process</u> as being the merging the created delta maps as claimed by Applicant. This is because Zalweski_126 performed data operating system failure detection and recovery via data/error monitoring, detecting, continuously protection, and correcting processes (i.e., failover). By utilizing these capabilities, the data resided in storage volumes can be

Art Unit: 2114

recovered and protected directed, promptly and functioned properly during failover switching process via APIT/PIT snapshot procedure; second, by applying the failover operations,

snapshot, and a point-in-time (APIT/PIT) used to support failover, data recovery/protection process including data

mirroring and policy in a plurality of data storage volumes including primary and secondary set of data as taught by

Zalweski_529 in conjunction with the method and apparatus for creating a dynamic storage for data recovery and continuous data protection as taught by Zalweski_126, the multi-data storage volumes data system including backup capability (i.e., OS failover) can enhance its operation performance, more specifically to ensuring the error detected, corrected, and replaced (i.e., backup) in proper and efficient manner for the same reasons set forth as described in claim 1, supra.

As per claims 6 and 11:

Zalweski_126 further teaches the invention.

- selecting a logical unit on which the snapshot is to be loaded. (i.e., logical/physical <u>snapshot planning and</u>

 protection) [fig.1-3, col. 2, lines 28-39 and 50-60];
- controlling access to the loaded snapshot, wherein only authorized host computers can access the loaded snapshot

Art Unit: 2114

(i.e., APIT/PIT) (i.e., logical protection policy including access control) [fig.1-3, col. 2, lines 28-39 and 50-67];

In addition, Zalweski_529 explicitly teaches:

- selecting a logical unit on which the snapshot is to be loaded. (i.e., logical/physical <u>snapshot planning and protection</u>) [fig.1-4, claims 4 and 11];
- controlling access to the loaded snapshot, wherein only authorized host computers can access the loaded snapshot (i.e., <u>APIT/PIT</u>) (i.e., <u>logical protection policy including</u> access control) [fig.1-4, claims 2 and 9];

As per claims 9-10:

Zalweski_126 further teaches:

- accessing the snapshot via a host computer [fig.1-3, col. 4, lines 1-29];
- a point in time (PIT) map for the selected snapshot [fig. 1-3, col. 4, lines 30-50; col. 5, lines 11-28].

Zalweski 126 does not explicitly address:

the method having a primary volume and a secondary volume.

Art Unit: 2114

However, Zalweski_126 does disclose capability of:

- A method and apparatus for creating a dynamic storage for data recovery and *continuous* data protection [abstract, fig.1-3, col. 1, lines 40-50; col. 2, lines 20-27] comprising:
- a <u>failover operations</u>, <u>snapshot</u>, <u>and a point-in-time</u>

 (APIT/PIT) used to support failover, data

 recovery/protection process including identifying data

 (i.e., previous state data), preventing data loss, etc... in

 a <u>plurality of data storage volumes</u> [fig. 1-3, col. 4,

 lines 30-50].

In addition, Zalweski 529 explicitly teaches:

- A method and apparatus for building a complete and continuous data protection scheme and recovery [abstract, par. 0002] comprising:
- a <u>failover operations</u>, <u>snapshot</u>, <u>and a point-in-time</u>

 (APIT/PIT) used to support failover, data

 recovery/protection process including data mirroring and

 policy in a <u>plurality of data storage volumes including</u>

 primary and <u>secondary set of data</u> [abstract, fig. 1-4, par. 0005, 0011,0017-0019].

Art Unit: 2114

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of Applicant's invention to first realizing Zalweski 126's failover operations, snapshot, and a point-in-time (APIT/PIT) used to support failover, data recovery/protection process including identifying data (i.e., previous state data), preventing data loss, etc... in a plurality of data storage volumes as being the method having a primary volume and a secondary volume as claimed by Applicant. This is because Zalweski 126 performed data operating system failure detection and recovery via data/error monitoring, detecting, continuously protection, and correcting processes (i.e., failover). By utilizing these capabilities, the data resided in storage volumes can be recovered and protected directed, promptly and functioned properly during failover switching process via APIT/PIT snapshot procedure; second, by applying the failover operations, snapshot, and a point-in-time (APIT/PIT) used to support failover, data recovery/protection process including data mirroring and policy in a plurality of data storage volumes including primary and secondary set of data as taught by Zalweski 529 in conjunction with the method and apparatus for creating a dynamic storage for data recovery and continuous data protection as taught by Zalweski_126, the multi-data storage volumes data system including backup

Art Unit: 2114

capability (i.e., OS failover) can enhance its operation performance.

This modification would have been obvious because a person having ordinary skill in the art would have been motivated to do so to improve the system operation availability and network/system performance therein with a mechanism to enhance the data connectivity, data debugging, data recovery, and data protection.

As per claims 12-22:

Due to the similarity of claims 12-22 to claims 1-11 except for a system for data recovery in a continuous data protection system comprising a primary and secondary volumes for storing data, creating means for creating a snapshot, selecting means for selecting a snapshot, etc... instead of the method for data recovery in a continuous data protection system comprising a primary and secondary volumes for storing data, creating means for creating a snapshot, selecting means for selecting a snapshot, etc... as described in claims 1-11; therefore, these claims are also rejected under the same rationale applied against claims 1-11. In addition, all of the limitations have been noted in the rejection as per claims 1-11. Such as a host

Art Unit: 2114

computer, server are clearly illustrated in the invention

[Zalweski 126, fig.1-3, col. 4, lines 1-29; col. 6, claim 1].

Conclusion

- 6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 7. A shortened statutory period for response to this action is set to expired THREE (3) months, ZERO days from the date of this letter. Failure to respond within the period for response will cause the application to be abandoned. 35 U.S.C. 133.
- 8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dieu-Minh Le whose telephone number is (703)305-9408. The examiner can normally be reached on Monday Thursday from 8:30 AM to 6:30 PM.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dieu-Minh Le whose telephone number is (571) 272-3660. The examiner can normally be reached on Monday - Thursday from 8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Scott Baderman can be

Application/Control Number: 10/772,017 Page 16

Art Unit: 2114

reached on (571)272-3644. The Tech Center 2100 phone number is (571) 272-2100.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DIEU-MINH THAI LE PRIMARY EXAMINER ART UNIT 2114

DML 07/03/2006